



5

IHE IT Infrastructure Technical Framework Supplement

10

Cross-Community Patient Discovery (XCPD) Health Data Locator and Revoke Option

15

Rev. 2.10 – Trial Implementation

20 Date: July 2, 2021
Author: IT Infrastructure Technical Committee
Email: iti@ihe.net

25

Please verify you have the most recent version of this document. See [here](#) for Trial Implementation and Final Text versions and [here](#) for Public Comment versions.

Foreword

30 This is a supplement to the IHE IT Infrastructure Technical Framework V17.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

35 This supplement is published on July 2, 2021 for trial implementation and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the IT Infrastructure Technical Framework. Comments are invited and may be submitted at http://www.ihe.net/ITI_Public_Comments.

This supplement describes changes to the existing technical framework documents.

“Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

40 *Amend Section X.X by the following:*

Where the amendment adds text, make the added text **bold underline**. Where the amendment removes text, make the removed text **bold strikethrough**. When entire new sections are added, introduce with editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

45

General information about IHE can be found at <http://www.ihe.net>.

Information about the IHE IT Infrastructure domain can be found at http://www.ihe.net/IHE_Domains.

50

Information about the structure of IHE Technical Frameworks and Supplements can be found at http://www.ihe.net/IHE_Process and <http://www.ihe.net/Profiles>.

The current version of the IHE IT Infrastructure Technical Framework can be found at <https://profiles.ihe.net/ITI/TF/index.html>.

CONTENTS

55	Introduction to this Supplement.....	5
	Open Issues and Questions	5
	Closed Issues.....	5
	IHE Technical Frameworks General Introduction.....	7
60	9 Copyright Licenses.....	7
	10 Trademark	7
	IHE Technical Frameworks General Introduction Appendices.....	8
	Appendix A – Actors	8
	Appendix B – Transactions.....	8
65	Appendix D – Glossary.....	9
	Volume 1 – Profiles	10
	1.10 History of Document Changes	10
	27 Cross-Community Patient Discovery (XCPD)	10
	27.1 Actors	12
70	27.1.1 Initiating Gateway	12
	27.1.1.2 Responding Gateway	12
	27.1.2.1 Cross Gateway Patient Discovery [ITI-55]	12
	27.1.2.2 Patient Location Query [ITI-56].....	13
	27.2 XCPD Integration Profile Options	13
75	27.2.1 Asynchronous Web Services Exchange Option.....	14
	27.2.2 Deferred Response Option	14
	27.2.3 Health Data Locator Option	14
	27.2.4 Revoke Option.....	15
	27.3.2.1 Illustration of use of Transactions (Informative).....	15
80	Volume 2 – Transactions	18
	3.55 Cross Gateway Patient Discovery [ITI-55].....	18
	3.55.1 Scope	18
	3.55.4 Messages	19
	3.55.4.1.2 Message Semantics.....	19
85	3.55.4.1.2.4 Values used by Responding Gateway for a reverse Cross Gateway Query	20
	3.55.4.1.3 Expected Actions	20
	3.55.4.2.2 Message Semantics	20
	3.55.4.2.2.5 Specifying support as a Health Data Locator	21
90	3.55.4.2.3 Expected Actions	21
	3.55.4.2.3.1 Caching (Informative).....	22
	3.55.4.3 Revoke Message	22
	3.55.4.3.1 Trigger Events	23
	3.55.4.3.2 Message Semantics	23
95	3.55.4.3.2.1 Message Information Model of the Patient Nullify Message	24
	3.55.4.3.2.2 Control Act and Transmission Wrappers.....	26
	3.55.4.3.3 Expected Actions	26

	3.55.5.1 Security Audit Considerations.....	27
100	3.56 Patient Location Query [ITI-56]	27
	3.56.1 Scope	27
	3.56.2 Use Case Roles	27
	3.56.3 Referenced Standards	27
	3.56.4 Messages	28
	3.56.4.1 Patient Location Query Request	28
105	3.56.4.1.1 Trigger Events	28
	3.56.4.1.2 Message Semantics	28
	3.56.4.1.2.1 Web Services Transport.....	29
	3.56.4.1.2.2 Example request message	29
	3.56.4.1.3 Expected Actions	29
110	3.56.4.2 Patient Location Query Response	30
	3.56.4.2.1 Trigger Events	30
	3.56.4.2.2 Message Semantics	30
	3.56.4.2.2.1 Web Services Transport.....	31
	3.56.4.2.2.2 Example response message.....	31
115	3.56.4.2.3 Expected Actions	32
	3.56.5 Security Considerations.....	32
	3.56.5.1 Security Audit Considerations.....	32
	3.56.5.1.1 Initiating Gateway audit message:.....	32
	3.56.5.1.2 Responding Gateway audit message:	34
120	3.56.6 Protocol Requirements	35

Introduction to this Supplement

This document adds two optional capabilities to the [Cross-Community Patient Discovery](#) Profile by adding new material to ITI TF Volumes 1 and 2 describing these options. These two options were extracted from the XCPD Profile prior to the XCPD Profile being moved from Trial Implementation to Final Text status due to these options not meeting the criteria for being promoted to final text.

Open Issues and Questions

- **X021:** Use of revoke when Initiating Gateway does not choose to send a patient identifier in the Patient Discovery request. This is only allowed when the Initiating Gateway is not grouped with a Responding Gateway. The Patient Discovery request receiver can also not send a revoke unless grouped with an Initiating Gateway. Assuming that both sides contain a grouping of Initiating and Responding, and the rule regarding specification of a patient identifier in the request is ignored, the responder to the Patient Discovery request has no patient identifier to create a correlation with, so will have difficulty, and no real purpose, for saving any information about the request. So it will most likely have no reason to send a revoke. So this function is not supported, the initiating side must supply a patient identifier in order to receive a revoke.

Closed Issues

- **X004:** During the development of this profile we considered an environment where a Health Data Locator existed external to any community. This is slightly more complicated an environment than this capability within a community. Because of the lack of a clear requirement this environment is not currently addressed in the profile.
- **X005:** Should the QD and QDLA be merged? After review of the details of each it was agreed that only one transaction was needed, with an optional return attribute indicating support for the QIL transaction for this patient identifier.
- **X007:** Consider other names for Location Authority. Agreed to use Health Data Locator – all references to Location Authority replaced with Health Data Locator.
- **X010:** Need names for the transactions.
 - a. **QIL - Patient Location Query**
- **X015:** Should the Patient Location Query re-use the XDS error codes as described in Section 3.56.4.1.3 or should it create new error codes that are specific to the cross-community environment. Resolution: Create new error codes for the transaction. Error codes are delivered a SOAP faults, so no dependency on XDS in this transaction.
- **X016:** Should the Cross Gateway Patient Discovery transaction provide coded values to describe events like:
 - I know the person but I have no data for them and I don't have an identifier to share with you (in this case should respond as if you don't know this person)
 - I know the person but I'm not willing to share data with you unless you follow a manual procedure (in this case respond either way, and manual process is out of scope)
 - I can't give you that answer (all of the above generically?)The above can be coded within DetectedIssueManagement code value. Resolution: All

- the cases listed are reflected in one coded value “AnswerNotAvailable” – since they require human intervention it was felt that separate error codes were not necessary.
- 165 • **X018:** What standard should the Patient Location Query be based on? The following were considered: ebXML, HL7 V3, PIXV3. These were discarded because they did not directly address the need, which is very simple. By convoluting PIXV3 or any other HL7 V3 message we could carry the right information needed for the transaction, but it would have been extremely complicated and confusing. There would be significant excess baggage (meaning XML elements) carried on the transaction for no reason. For these reasons the implementation challenges were felt to be too great. ebXML was also considered, and while it does carry the data in a reasonable way, it seemed also too heavy handed for the simple transaction. So the transaction uses Web Services and an IHE defined schema to accomplish the need.
- 170 • **X019:** Patient Location Query support for multiple health data locators for different kinds of data. This requirement was not addressed because of the desire to keep the Patient Location Query strictly focused on location of potential data and not bleed into the transaction information beyond the location – like types of data at a location. It is felt that the XCA Query supports the ability to search for types of data and that function should be addressed at that layer of the workflow.
- 175
- 180

IHE Technical Frameworks General Introduction

The [IHE Technical Framework General Introduction](#) is shared by all of the IHE domain technical frameworks. Each technical framework volume contains links to this document where appropriate.

185

9 Copyright Licenses

IHE technical documents refer to, and make use of, a number of standards developed and published by several standards development organizations. Please refer to the IHE Technical Frameworks General Introduction, [Chapter 9 - Copyright Licenses](#) for copyright license information for frequently referenced base standards. Information pertaining to the use of IHE International copyrighted materials is also available there.

190

10 Trademark

IHE® and the IHE logo are trademarks of the Healthcare Information Management Systems Society in the United States and trademarks of IHE Europe in the European Community. Please refer to the IHE Technical Frameworks General Introduction, [Chapter 10 - Trademark](#) for information on their use.

195

IHE Technical Frameworks General Introduction Appendices

200 The [IHE Technical Framework General Introduction Appendices](#) are components shared by all of the IHE domain technical frameworks. Each technical framework volume contains links to these documents where appropriate.

205 *Update the following appendices to the General Introduction as indicated below. Note that these are **not** appendices to this domain's Technical Framework (TF-1, TF-2, TF-3 or TF-4) but rather, they are appendices to the IHE Technical Frameworks General Introduction located [here](#).*

Appendix A – Actors

210 Add the following **new or modified** actors to the [IHE Technical Frameworks General Introduction Appendix A](#):

Actor	Definition
No new actors	

215 Appendix B – Transactions

Add the following **new or modified** transactions to the [IHE Technical Frameworks General Introduction Appendix B](#):

220

Transaction	Definition
Patient Location Query [ITI-56]	Supports the ability to query for a list of communities which may have relevant health data about particular patients

225 **Appendix D – Glossary**

*Add the following **new or modified** glossary terms to the [IHE Technical Frameworks General Introduction Appendix D](#):*

230

Glossary Term	Definition
Health Data Locator	Health Data Locator is a function provided by a community or external entity that manages the locations of patient health data for a selected set of patients. A Health Data Locator keeps track of communities that know a patient and provides a list of these communities to a requesting community.

Volume 1 – Profiles

235

1.10 History of Document Changes

Add the following bullet to the end of the bullet list in Section 1.10

240


- Added XCPD Profile options that support the means to indicate a patient match should be revoked and added the option to locate communities which hold patient relevant health data.

27 Cross-Community Patient Discovery (XCPD)

245

...

Replace existing XCPD Actor Diagram 27.1-1 with the following diagram:



250

Figure 27.1-1: XCPD Actor Diagram

Update Table 27.1-1 as shown:

Table 27.1-1: XCPD Integration Profile - Actors and Transactions

Actors	Transactions	Optionality	Section
Initiating Gateway	Cross Gateway Patient Discovery [ITI-55]	R	ITI TF-2: 3.55
	<u>Patient Location Query [ITI-56]</u>	<u>O</u>	<u>ITI TF-2: 3.56</u>
Responding Gateway	Cross Gateway Patient Discovery [ITI-55]	R	ITI TF-2: 3.55
	<u>Patient Location Query [ITI-56]</u>	<u>O</u>	<u>ITI TF-2: 3.56</u>

255

Update Section 27.1.1 as shown

27.1.1 Actors

27.1.1.1 Initiating Gateway

- 260 The Initiating Gateway supports all outgoing inter-community communications. XCPD uses this actor to initiate the Cross Gateway Patient Discovery [ITI-55] **and, optionally, the Patient Location Query [ITI-56] transactions**. The Initiating Gateway is required to support synchronous transaction messaging and may declare an option to support Asynchronous Web Services Exchange. Choosing Asynchronous Web Services Exchange will allow the Initiating Gateway to support workflows which scale to large numbers of communities because Asynchronous Web Services Exchange allows for more efficient handling of latency and scale.
- 265

27.1.1.2 Responding Gateway

- 270 The Responding Gateway supports all incoming inter-community communications. XCPD uses this actor to receive the Cross Gateway Patient Discovery [ITI-55] **and, optionally, the Patient Location Query [ITI-56] transactions**. The Responding Gateway is required to support Asynchronous Web Services Exchange on all implemented transactions. This allows the Initiating Gateway to choose the best of the two messaging patterns (synchronous or asynchronous) that fit the needs of the workflow. Support for Asynchronous Web Services Exchange allows for workflows which scale to large numbers of communities because it can handle latency and scale more efficiently.
- 275

Update Section 27.1.2.1 as shown:

27.1.2.1 Cross Gateway Patient Discovery [ITI-55]

- 280 The [Cross Gateway Patient Discovery \[ITI-55\]](#) transaction supports the ability for Initiating Gateways and Responding Gateways to discover mutually known patients. This transaction assumes an environment where patient data is well described and high quality demographic data is available.

Because the transaction supports the mutual discovery of patients it can be seen as having dual purposes.

- 285
- To support a query by the Initiating Gateway requesting a demographically matching patient from within the Responding Gateway's community.
 - To support a feed to Responding Gateway announcing that the patient is known by the Initiating Gateway's community.

290 This dual nature of the transaction is chosen for scalability purposes, as demographic matching algorithms are expensive on a large scale and once a match is identified it is important that both the initiating and responding sides of the transaction can use the results of that successful match.

The Cross Gateway Patient Discovery transaction has several modes, useful in different environments:

- 295
 - Demographic Query only mode – in this mode only the demographics of the patient are included in the request. The initiating community does not have, or does not choose to specify, a patient identifier for use by the Responding Gateway.
 - Demographic Query and Feed – in this mode both the demographic and initiating community identifier are included in the request.
 - Shared/national Patient Identifier Query and Feed – in this mode only a shared/national identifier is specified. Demographics are not necessary because matching can be done on the identifier alone.
- 300

The Cross Gateway Patient Discovery transaction also supports the ability for Initiating Gateways to send a revoke message to Responding Gateways when a prior patient identifier correlation may no longer be valid. The revoke message is used when Responding Gateways and Initiating Gateways may have cached the correlation identified as part of a Cross Gateway Patient Discovery transaction.

305 This transaction can be used synchronously and asynchronously.

Add new Section 27.1.2.2

310

27.1.2.2 Patient Location Query [ITI-56]

The Patient Location Query supports the ability for an Initiating Gateway to query the Responding Gateway for a list of communities which may have relevant health data about particular patients.

This transaction can be used synchronously and asynchronously.

315

Update Section 27.2 as shown:

27.2 XCPD Integration Profile Options

320 Options that may be selected for this Integration Profile are listed in Table 27.2-1 along with the actors to which they apply. Dependencies between options when applicable are specified in notes.

Table 27.2-1: XCPD - Actors and Options

Actor	Options	Volume & Section
Initiating Gateway	Asynchronous Web Services Exchange	ITI TF-1: 27.2.1
	Deferred Response	ITI TF-1: 27.2.2
	<u>Health Data Locator</u>	<u>ITI TF-1: 27.2.3</u>
	<u>Revoke</u>	<u>ITI TF-1: 27.2.4</u>
Responding Gateway	Deferred Response	ITI TF-1: 27.2.2

Actor	Options	Volume & Section
	<u>Health Data Locator</u>	<u>ITI TF-1: 27.2.3</u>
	<u>Revoke</u>	<u>ITI TF-1: 27.2.4</u>

325 **27.2.1 Asynchronous Web Services Exchange Option**

Initiating Gateways which support Asynchronous Web Services Exchange shall support Asynchronous Web Services Exchange on the Cross Gateway Patient Discovery [ITI-55] and Patient Location Query [ITI-56] transactions. Asynchronous processing is necessary to support scaling to large numbers of communities because Asynchronous Web Services Exchange allows for more efficient handling of latency and scale.

330 **27.2.2 Deferred Response Option**

Responding Gateways which support the Deferred Response Option shall support Deferred Response as described in [ITI TF-2: 3.55.6.2](#) on the Cross Gateway Patient Discovery [ITI-55] transaction.

335 Initiating Gateways which support the Deferred Response Option shall support Deferred Response as described in [ITI TF-2: 3.55.6.2](#) on the Cross Gateway Patient Discovery [ITI-55] transaction.

The Deferred Response Option reflects the more detailed understanding and feedback from implementers regarding processing that may result in significant delay. The existing

340 Asynchronous Web Services Exchange Option can support some scenarios with delayed response but not environments where the delay in responding may be as much as days or weeks. These cases require a mechanism that is managed by the application and which supports recovery through system restart. Deferred Response mode provides applications with such capability. In doing so it also adds responsibilities to the application, in particular for managing message correlation, creating application level acknowledgements and determining where to send a Deferred Response message. The new flexibility allowed by the Deferred Response Option is deemed worthy of these additional requirements on the application. For more information about Deferred Response and Asynchronous messaging in general see http://wiki.ihe.net/index.php?title=Asynchronous_Messaging.

350 **27.2.3 Health Data Locator Option**

Initiating Gateways which support the Health Data Locator Option shall support the Patient Location Query [ITI-56] transaction to request the location of a patient (or set of patients) health data.

355 Responding Gateways which support the Health Data Locator Option shall collect locations of health data for selected patients and make that information available to Initiating Gateways from other communities via the Patient Location Query [ITI-56] transaction.

27.2.4 Revoke Option

XCPD allows for the caching of correlations resulting from the Cross Gateway Patient Discovery [ITI-55] transaction. This caching is not required of any XCPD implementation but when used may be combined with use of the revoke message of the Cross Gateway Patient Discovery [ITI-55] transaction to invalidate cached correlations.

Initiating Gateways which support the Revoke Option shall be able to use the revoke message of the Cross Gateway Patient Discovery [ITI-55] transaction to notify a Responding Gateway that a patient identifier correlation may no longer be valid.

Responding Gateways which support the Revoke Option shall be able to receive the revoke message of the Cross Gateway Patient Discovery [ITI-55] transaction to be notified by an Initiating Gateway that a patient identifier correlation is no longer valid.


370 *Add the following text to the end of [Section 27.3.2.1](#)*

27.3.2.1 Illustration of use of Transactions (Informative)

...

Scenario # 2: Use of Health Data Locator (Informative)

375 **Figure 27.3.2.1-2 shows the transactions involved in sharing healthcare data for one patient among three communities. In this scenario community C is a Health Data Locator for the patient. Details on each interaction follow the diagram.**



380

Figure 27.3.2.1-2: Detailed Interactions Health Data Locator (Informative)

385

- [1] **The patient registers within Community A and a Patient Feed is sent to the Gateway.**
- [2] **The Gateway uses the Cross Gateway Patient Discovery transaction to determine if this patient is known in community B. Community B consults with its local MPI and responds with no matches, indicating the patient is not known in community B.**
- [3] **The Gateway uses the Cross Gateway Patient Discovery transaction to determine if this patient is known in community C. Community C responds with one match**

- 390 including the patient identifier in C and the indication that community C is a Health Data Locator for this patient.
- [4] Community C consults with its local MPI and finds a match. It saves the association that the identifier designated on the Cross Gateway Patient Discovery transaction is community A's identifier for this patient.
 - [5] Community A pre-loads locations for this patient by sending a Patient Location Query to community C which has identified itself as a Health Data Locator.
 - 395 • [6] This patient is seen, for the first time, within an organization in community B which subsequently requests data about this patient and sends an XDS Registry Stored Query to its local Gateway.
 - 400 • [7] The Gateway uses the Cross Gateway Patient Discovery transaction to determine if this patient is known in community A. Community A consults with its local MPI and responds with one match including the patient identifier in A.
 - 405 • [8] The Gateway uses the Cross Gateway Patient Discovery transaction to determine if this patient is known in community C. Community C responds with one match including the patient identifier in C and the indication that community C is a Health Data Locator for this patient.
 - [9] Community C consults with its local MPI and finds a match. It saves the association that the identifier designated on the Cross Gateway Patient Discovery transaction is community B's identifier for this patient.
 - 410 • [10] The community B gateway sends an XCA Cross Gateway Query to both Community A and C because both responded positively to the Cross Gateway Patient Discovery transaction. Both responses are combined by the community B gateway and returned to the organization which originated the XDS Registry Stored Query in step [6].
 - 415 • [11] An organization in community A requests data about this patient and sends an XDS Registry Stored Query to its local Gateway.
 - [12] The Gateway has saved the locations retrieve from community C in step [5] but this query may happen days or weeks or years later. To get a fresh copy of the locations for this patient, community A's gateway sends another Patient Location Query to C. By doing so it discovers that B also knows this patient.
 - 420 • [13] Community A sends an XCA Cross Gateway Query to both community B and C and combines the responses in order to respond to the XDS Registry Stored Query

Volume 2 – Transactions

425 *Update [Section 3.55.1](#) the second from last paragraph to add to the end of the paragraph as shown:*

3.55 Cross Gateway Patient Discovery [ITI-55]

...

3.55.1 Scope

430 ...

In the case of a match, the Responding Gateway may further update its own cache to indicate that the initiating community knows this patient and should be queried if data for this patient is desired. The Cross Gateway Patient Discovery transaction also supports the ability for Initiating Gateways to send a revoke message to Responding Gateways when prior patient identifier correlation may no longer be valid. The revoke message is used when Responding Gateways and Initiating Gateways may have cached the correlation identified as part of a Cross Gateway Patient Discovery transaction.

The criteria used for demographic matching is defined by policy and not specified here, but fully enabled by the transaction.

440

Update the existing interaction diagram in [Section 3.55.4](#) to add the Revoke message as shown:

3.55.4 Messages




Figure 3.55.4-1: Interaction Diagram

445

Update Section 3.55.4.1.2 the second to last paragraph to add a sentence to the end of it as shown:

3.55.4.1.2 Message Semantics

...

- 450 The Initiating Gateway may specify a duration value in the SOAP Header element of the request. This value suggests to the Responding Gateway a length of time that the Initiating Gateway recommends caching any correlation resulting from the interaction. The duration value is specified in the SOAP Header using the CorrelationTimeToLive element and contains a value conformant with the xs:duration type defined in <http://www.w3.org/TR/xmlschema-2/#duration>.
- 455 If no CorrelationTimeToLive element is specified in the SOAP Header the Responding Gateway shall interpret this as a recommendation against caching, unless a mutually agreed policy states otherwise. **Mutually agreed policies may also be used to bind an Initiating Gateway to a specific timeframe for use of the Revoke message.**

...

460

Update [Section 3.55.4.1.2.4](#) as follows

3.55.4.1.2.4 Values used by Responding Gateway for a reverse Cross Gateway Query

...

- 465 The Responding Gateway uses the homeCommunityId to obtain the Web Services endpoint of services that provide access to data in the Initiating Gateway's community. **The Responding Gateway may also use the specified value as an entry in its response to a Patient Location Query transaction.**

...

- 470 The Responding Gateway may use the specified assigning authority to identify which of the LivingSubjectID values to use in a reverse Cross Gateway Query. **The Responding Gateway may also use the identified LivingSubjectID value as an entry in its response to a Patient Location Query transaction.**

...

- 475

Update [Section 3.55.4.1.3](#) as follows.

3.55.4.1.3 Expected Actions

...

- 480 The community associated with the Responding Gateway may make use of the homeCommunityId and community patient identifier assigning authority by initiating a Cross Gateway Query **and/or saving the information for use in a Patient Location Query response.** See [ITI TF-2: 3.55.4.1.2.4](#) for more information. This provisioning of the Responding Gateway community may be cached indefinitely, but efforts are needed to ensure that changes are properly reflected. For more detail about this issue refer to [ITI TF-2: 3.55.4.2.3.1](#) **and the Revoke Message.**

The Responding Gateway shall indicate in the response to the Cross Gateway Patient Discovery transaction whether it is acting as a Health Data Locator for this patient. See Section 3.55.4.2.2 for more information.

- 490

Update [Section 3.55.4.2.2](#) to the 2nd to last paragraph adding the sentence at the end.

3.55.4.2.2 Message Semantics

...

- 495 The Responding Gateway may specify a duration value in the SOAP Header element of the request. This value suggests to the Initiating Gateway a length of time that the Responding Gateway recommends caching any correlation resulting from the interaction. The duration value is specified in the SOAP Header using the CorrelationTimeToLive element and contains a value

conformant with the xs:duration type defined in <http://www.w3.org/TR/xmlschema-2/#duration>.
500 If no CorrelationTimeToLive element is specified in the SOAP Header the Initiating Gateway shall interpret this as a recommendation against caching, unless a mutually agreed policy states otherwise. **Mutually agreed policies may also be used to bind a Responding Gateway to a specific timeframe for use of the Revoke message.**

...

Update Section 3.55.4.2.2.5 as shown

505 **3.55.4.2.2.5 Specifying support as a Health Data Locator**

The Responding Gateway shall specify its support for this patient as a Health Data Locator. This specification is a coded value within the assignedEntity of the custodian of the RegistrationEvent. The valid codes for this designation are described in Table 3.55.4.4.2.2.5-1. The codeSystem for these code elements is 1.3.6.1.4.1.19376.1.2.27.2.

510 **If the response contains multiple RegistrationEvent elements with different homeCommunityId values this indicates that there may be multiple Health Data Locators operating within the community. To access all locations for the patient the Initiating Gateway is encouraged to send multiple Patient Location Query transactions, one for each RegistrationEvent with a unique homeCommunityId and declaring SupportsHealthDataLocator.**

515

Table 3.55.4.4.2.2.5-1: Coded values for codeSystem=1.3.6.1.4.1.19376.1.2.27.2

Value for code	Meaning of code
NotHealthDataLocator	This community does not maintain externally available location information about this patient and will respond with no data to a Patient Location Query transaction related to this patient.
<u>SupportsHealthDataLocator</u>	<u>This community maintains location information about this patient and makes it available to other communities via the Patient Location Query transaction.</u>

Add the identified text to the end of Case 1 in [Section 3.55.4.2.3](#) and add line-feeds to list to improve readability

520 **3.55.4.2.3 Expected Actions**

Case 1: The Responding Gateway finds exactly one patient record matching the criteria sent in the query parameters.

AA (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

OK (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

525

One RegistrationEvent (and the associated Patient role, subject of that event) is returned from the patient information source for the patient record found. The community associated with the Initiating Gateway may use the patient demographics and identifiers to:

- 530 a) run an independent matching algorithm to ensure the quality of the match
 b) use the designated patient identifier in a Cross Gateway Query to get information about records related to the patient
 c) cache the correlation for future use (see [ITI TF-2: 3.55.4.2.3.1](#) for more information about caching)
 d) **use a Patient Location Query [ITI-56] transaction to get a list of patient data locations.**
- 535

Update [Section 3.55.4.2.3.1](#) as follows:

3.55.4.2.3.1 Caching (Informative)

...

- 540 Both the requesting and responding side of the Cross Gateway Patient Discovery [\[ITI-55\]](#) transaction gain knowledge through this transaction. That knowledge may be used immediately, by sending a **Patient Location Query [ITI-56]** or Cross Gateway Query [\[ITI-38\]](#) transaction or may be cached for use at some other time (or both). This section addresses caching considerations when the Cross Gateway Patient Discovery [\[ITI-55\]](#) transaction is used in the Demographic Query and Feed mode. Other modes are a simplification of this mode with corresponding simplifications of the considerations presented.
- 545

...

Local changes in demographics, merge/link

- 550 When a local change in demographics or a merge/link event affects the LocalPid, the community may initiate a Cross Gateway Patient Discovery request to validate the correlation **or use the Revoke message (Section 3.55.4.3) to remove any correlation previously identified.**

External changes in demographics, merge/link

- 555 When an external change in demographics or merge/link event occurs, the external community may initiate a Cross Gateway Patient Discovery request which, when received, can be used to reassess the correlation and adjust accordingly. **Alternately, the external community may initiate a Revoke. If the external community chooses not to initiate a Cross Gateway Patient Discovery request or Revoke the local community cannot know about changes.**
- 560 Mutually agreed policies for use of the CorrelationTimeToLive SOAP header may enable greater assurance that changes are reflected when needed.
- 565

Add the following new Section 3.55.4.3 and subsections

3.55.4.3 Revoke Message

- 565 The Revoke Message is implemented using the HL7 Patient Registry Record Nullified (PRPA_IN201303UV02) message.

3.55.4.3.1 Trigger Events

570 The initiating community has cached a correlation between a local patient identifier and an external patient identifier. A significant change has occurred related to the local identifier which suggests that the cached correlation may no longer be valid. The Initiating Gateway sends this message to notify the responding community that the previously identified correlation may no longer be valid.

3.55.4.3.2 Message Semantics

575 The Responding Gateway shall support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#), Synchronous and Asynchronous Web Services Exchange. If the Initiating Gateway declares the Asynchronous Web Services Exchange Option, it shall also support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#). Use of Asynchronous Web Services Exchange is necessary when transactions scale to large numbers of communities because it allows for more efficient handling of latency and scale.

580 The Initiating Gateway should specify a coded reason that explains why the correlation is believed to be invalid. This is specified in the SOAP header using the RevocationReason element with attributes code and system to be the code and code system of the code, respectively. The value of the element should be a brief human readable description of the reason and shall not be longer than 250 characters.

The code and code system should be taken from the following value set:

585 **Table 3.55.4.3.2-1: Coded values for codeSystem=1.3.6.1.4.1.19376.1.2.27.4**

Value for code	Meaning of code
PatientMerge	The patient has been merged with another patient and the patient's identifier was subsumed in the merge. Recorrelation is recommended.
PatientUnmerge	A previously performed patient merge operation has been reverted. Recorrelation and re-evaluation of previously received data recommended.
IncorrectPatient	The community believes that this correlation was made in error.
DemographicsUpdate	Patient demographics have been updated
Overlay	Another patient's care was documented on this patient's record, and the issue has been corrected. Recorrelation and re-evaluation of previously received data recommended.
Requested	The correlation should be removed for administration or patient privacy reasons. This might be at the request of a patient, an administrator, or for some other reason as dictated by policy.
Technical	The correlation should be re-established due to some technical reason.
Other	
Unknown	The reason is not known.

An example of specifying that the revocation reason is because a patient was unmerged:

```
<xcpd:RevocationReason code="PatientUnmerge" system="1.3.6.1.4.1.19376.1.2.27.4">Patient merge  
operation has been reverted.</xcpd:RevocationReason>
```


590 **3.55.4.3.2.1 Message Information Model of the Patient Nullify Message**

Below is the Message Information Model for the Patient Nullify message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict common subset of the Patient Nullify Message (PRPA_RM201305UV) RMIM.

595 The base RMIM can be found on the HL7 V3 2008 Edition CD at:

Edition2008/domains/uvpa/editable/PRPA_RM201305UV.htm. The following restrictions were made on the original RMIMs to arrive at the restricted model:

- The focal entity choice is restricted to be only a person
- The Patient shall have exactly two patient identifiers
- Person.name shall be null and all other optional elements shall be omitted, i.e.:
 - administrativeGender
 - birthTime
 - birthplace



605

Figure 3.55.4.3.2.1-1: Patient Nullify Message

The attributes of this model are described in the following table. Note that CMETs are not discussed, as the HL7 definitions for them are being used.

Table 3.55.4.3.2.1-1: Patient Nullify Message

PRPA_HD201305IHE Patient Registry Record Nullified	This HMD extract defines the message used to ... Derived from Figure 3.55.4.3.2.1-1 (PRPA_RM201305IHEXCPD)
Patient	The primary record for the focal person
classCode [1..1] (M) Patient (CS) {CNE:PAT}	Structural attribute; this is a "patient" role
id [2..2] (M) Patient (SET<II>)	Shall contain two elements reflecting the correlation that is no longer valid. One of the identifiers is the patient identifier from the Initiating Gateway domain, the other is the identifier from the Responding Gateway domain.
statusCode [1..1] Patient (CS) {CNE:active, fixed value= "nullified"}	A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is nullified.

PRPA_HD201305IHE Patient Registry Record Nullified		This HMD extract defines the message used to ... Derived from Figure 3.55.4.3.2.1-1 (PRPA_RM201305IHEXCPD)
Person		A subtype of LivingSubject representing a human being Either Person.name or Patient.id must be non-null
classCode [1..1] (M) Person (CS) {CNE:PSN, fixed value= "PSN"}		Structural attribute; this is a "person" entity
determinerCode [1..1] (M) Person (CS) {CNE:INSTANCE, fixed value= "INSTANCE"}		Structural attribute; this is a specific person
name [1..1] Person (BAG<PN>)		Name(s) for this person; shall contain null i.e., <name nullFlavor="NA"/>

610

3.55.4.3.2.2 Control Act and Transmission Wrappers

Please see [ITI TF-2: Appendix O](#) for details on the IHE guidelines for implementing the wrappers. Table 3.55.4.3.2.2-1 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

615

Table 3.55.4.3.2.2-1: Wrappers and Constraints

Transmission Wrapper	Trigger Event Control Act Wrapper
MCCI_MT000100UV01 – Send Message Payload	MFMI_MT700701UV01 – Master File / Registry Notification Control Act, Role Subject
The value of interactionId shall be set to PRPA_IN201303UV02 The value of processingModeCode shall be set to T The acceptAckCode shall be set to AL There shall be only one receiver Device	The trigger event code in ControlActProcess.code shall be set to PRPA_TE201303UV02 RegistrationEvent.statusCode shall be set to "active" There shall be no InReplacementOf act relationship for these interactions.

The composite message schemas which describe the full payload of these interactions, including the wrappers, can be found online; see (the HL7 V3 2008 Normative Edition schemas are at: Edition2008processable/multicacheschemas/PRPA_IN201303UV02.xsd).

620

3.55.4.3.3 Expected Actions

The Responding Gateway shall send an accept acknowledgement for any properly formatted Patient Nullify Message. The Responding Gateway may update its cached patient correlations and/or initiate a workflow to update the cache.

625

Update [Section 3.55.5.1](#) as shown:

3.55.5.1 Security Audit Considerations

- 630 The Cross Gateway Patient Discovery transaction is a Query Information event as defined in ITI TF-2: Table 3.20.4.1.1-1.

There are no specific auditing requirements for the Revoke Message.

Add Section 3.56

635


3.56 Patient Location Query [ITI-56]

This section corresponds to transaction [ITI-56] of the IHE ITI Technical Framework. Transaction [ITI-56] is used by the Initiating Gateway and Responding Gateway Actors.

3.56.1 Scope

- 640 The Patient Location Query transaction supports a query that retrieves a list of communities which may have healthcare data for a patient referenced by patient identifier.

3.56.2 Use Case Roles



Actor: Initiating Gateway

- 645 **Role:** Requests the Responding Gateway to provide patient data locations in the form of a list of community identifiers (homeCommunityId) that reference communities that may have healthcare records for the patient identifier specified in the request.

Actor: Responding Gateway


Role: Responds with a list of patient data locations.

- 650 **3.56.3 Referenced Standards**

HL7 V3 Datatypes 2008 Normative Edition

[ITI TF-2: Appendix V](#): Web Services for IHE Transactions - Contains references to all Web Services standards and requirements of use

3.56.4 Messages



655

Figure 3.55.4-1: Interaction Diagram

3.56.4.1 Patient Location Query Request

This message carries a request for a list of communities which may have healthcare data about the identified patient.

660 **3.56.4.1.1 Trigger Events**

A new patient arrives at a medical provider and medical records for this patient are desired from outside the medical provider's community. In cases of an existing patient, this transaction may be used to determine if there is new data available outside the community.

3.56.4.1.2 Message Semantics

- 665 The Patient Location Query request is a Web Service request complying with all requirements in [ITI TF-2: Appendix V](#): Web Services for IHE Transactions. The content of the message is a single `<xcpd:PatientLocationQueryRequest/>` element which contains a single `<xcpd:RequestedPatientId/>` element. The `<xcpd:RequestedPatientId/>` contains the patient identifier which shall be coded consistent with the HL7 V3 II Data Type.
- 670 The Responding Gateway shall support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#) Synchronous and Asynchronous Web Services Exchange. If the Initiating Gateway declares the Asynchronous Web Services Exchange Option, it shall also support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#). Use of Asynchronous Web Services Exchange is necessary when transactions scale to large numbers of communities because it allows for more efficient handling of latency and scale.

The Initiating Gateway has acquired the correct patient identifier to use in this transaction through some other interactions outside the scope of this transaction. One approach is to use the

Cross Gateway Patient Discovery transaction, which returns the identifier associated with a set of demographics.

680 An example of the Patient Location Query request:

```
<xcpd:PatientLocationQueryRequest xmlns:xcpd="urn:ihe:iti:xcpd:2009
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="urn:ihe:iti:xcpd:2009">
    <xcpd:RequestedPatientId
        root="1.2.840.114350.1.13.99997.2.3412" extension="38273N237"/>
</xcpd:PatientLocationQueryRequest>
```

3.56.4.1.2.1 Web Services Transport

See Section 3.56.6.

3.56.4.1.2.2 Example request message

690 A complete example of the request message is:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
    xmlns:a="http://www.w3.org/2005/08/addressing">
    <s:Header>
        <a:Action s:mustUnderstand="1">urn:ihe:iti:2009:PatientLocationQuery</a:Action>
        <a:MessageID>urn:uuid:a02ca8cd-86fa-4afc-a27c-16c183b2055</a:MessageID>
        <a:ReplyTo>
            <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
        </a:ReplyTo>
        <a:To s:mustUnderstand="1">http://localhost:2647/Service/IHRespondingGateway.svc</a:To>
    </s:Header>
    <s:Body>
        <xcpd:PatientLocationQueryRequest xmlns:xcpd="urn:ihe:iti:xcpd:2009
            xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
            xsi:schemaLocation="urn:ihe:iti:xcpd:2009">
            <xcpd:RequestedPatientId
                root="1.2.840.114350.1.13.99997.2.3412" extension="38273N237"/>
        </xcpd:PatientLocationQueryRequest>
    </s:Body>
</s:Envelope>
```

710 **3.56.4.1.3 Expected Actions**

The Responding Gateway shall respond with the Patient Location Query Response Message indicating the data it has related to the specified patient identifier.

715 The Responding Gateway shall use the SOAP Faults defined in Table 3.56.4.1.3-1 when appropriate. Initiating Gateways shall be capable of accepting other values beyond the ones specified here.

Table 3.56.4.1.3-1: SOAP Faults

Description of error	Code	Reason Text
The Responding Gateway is too busy to respond to the request	Receiver	Busy
The Responding Gateway resources are too low to respond to	Receiver	Resources Low

Description of error	Code	Reason Text
the request		
The Responding Gateway is not a Health Data Locator for the patient specified in the request.	Sender	Not a Health Data Locator for the specified patient identifier

An example of a SOAP Fault is:

```

720  <env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"
                  xmlns:xml="http://www.w3.org/XML/1998/namespace">
    <env:Body>
        <env:Fault>
            <env:Code>
                <env:Value>env:Receiver</env:Value>
            </env:Code>
            <env:Reason>
                <env:Text xml:lang="en">Busy</env:Text>
            </env:Reason>
        </env:Fault>
    </env:Body>
</env:Envelope>
```

3.56.4.2 Patient Location Query Response

735 This message carries a response to a request for a list of communities which may have healthcare data about the identified patient.

3.56.4.2.1 Trigger Events

A Patient Location Query Request Message is received.

3.56.4.2.2 Message Semantics

740 The Patient Location Query response is a Web Services response complying with all requirements in [ITI TF-2: Appendix V](#): Web Services for IHE Transactions.

The Responding Gateway shall support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#) Synchronous and Asynchronous Web Services Exchange. If the Initiating Gateway declares the Asynchronous Web Services Exchange Option, it shall also support Asynchronous Web Services Exchange as described in [ITI TF-2: Appendix V.5](#). Use of Asynchronous Web Services Exchange is necessary when transactions scale to large numbers of communities because it allows for more efficient handling of latency and scale.

750 The Responding Gateway has acquired the data returned in this transaction through some other interactions outside the scope of this transaction. One approach is to use the Cross Gateway Patient Discovery transaction.

The content of the message is a single `<ihe:PatientLocationQueryResponse/>` element which is defined as:

- 755 • An optional sequence of `<xcpd:PatientLocationResponse>` elements which contain:
- A required `<xcpd:HomeCommunityId>` element. The value of this element shall be the identifier of a community which might have data about the patient identified in the request. Shall be coded consistent with the anyURI Data Type.
 - A required `<xcpd:CorrespondingPatientId>` element that contains the patient identifier that the requested patient is known by within the community identified by the `ihe:HomeCommunityId` element. Shall be coded consistent with the HL7 V3 II Data Type.
 - A required `<xcpd:RequestedPatientId>` that is the same identifier specified in the query request. Shall be coded consistent with the HL7 V3 II Data Type

760 The `<xcpd:PatientLocationResponse>` element in the schema may have additional sub-elements defined by national committees. Initiating Gateways shall accept extra sub-elements and may ignore them. National committees are responsible for providing an extended schema if the schema is extended. The schema shall not be extended outside of IHE national/regional committees.

765 If the Responding Gateway is not managing patient data locations for the identified patient, or does not know the patient identifier, it shall respond with a SOAP Fault see Section 3.56.4.1.3.

770 **3.56.4.2.2.1 Web Services Transport**

See Section 3.56.6.

3.56.4.2.2.2 Example response message

A complete example of the response message is:

775

```
<xcpd:PatientLocationQueryResponse
  xmlns:xcpd="urn:ihe:iti:xcpd:2009"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:ihe:iti:xcpd:2009">
    <xcpd:PatientLocationResponse>
      <xcpd:HomeCommunityId>urn:oid:1.2.333495.30291</xcpd:HomeCommunityId>
      <xcpd:CorrespondingPatientId
        root="1.2.840.114350.1.13.99997.12" extension="38273N237"/>
      <xcpd:RequestedPatientId
        root="1.2.840.114350.1.13.99997.2.3412"
        extension="38273N237"/>
    </xcpd:PatientLocationResponse>
    <xcpd:PatientLocationResponse>
      <xcpd:HomeCommunityId>urn:oid:555.324.1.2.3</xcpd:HomeCommunityId>
      <xcpd:CorrespondingPatientId
        root="555.324.1.2.3.12" extension="7382931"/>
      <xcpd:RequestedPatientId
        root="1.2.840.114350.1.13.99997.2.3412" extension="38273N237"/>
    </xcpd:PatientLocationResponse>
  </xcpd:PatientLocationQueryResponse>
```

795 **3.56.4.2.3 Expected Actions**

The Initiating Gateway may use the list of communities to send a [Cross Gateway Query \[ITI-38\]](#) transaction to each, using the value of the CorrespondingPatientId, to find all data about the patient. The Initiating Gateway may also cache the information, maintaining its cache through repeated polling of the original responder, or through receipt of subsequent [Cross Gateway Patient Discovery \[ITI-55\]](#) transactions. Support for subscription to updates to the list is not profiled by IHE.

800

3.56.5 Security Considerations

3.56.5.1 Security Audit Considerations

The Patient Location Query transaction is a Query Information event as defined in ITI TF-2: Table 3.20.4.1.1.1-1. The actors involved shall record audit events according to the following:

805

3.56.5.1.1 Initiating Gateway audit message:

	Field Name	Opt	Value Constraints
Event <i>AuditMessage/EventIdentification</i>	EventID	M	EV(110112, DCM, “Query”)
	EventActionCode	M	“E” (Execute)
	<i>EventDateTime</i>	M	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	M	<i>not specialized</i>
	EventTypeCode	M	EV(“ITI-56”, “IHE Transactions”, “Patient Location Query”)
Source (Initiating Gateway) (1)			
Human Requestor (0..n)			
Destination (Responding Gateway) (1)			
Audit Source (Initiating Gateway) (1)			
Patient (1..n)			
Query Parameters(1)			

Where:

Source <i>AuditMessage/ActiveParticipant</i>	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, <i>not specialized</i> .
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	U	<i>not specialized</i>
	<i>UserIsRequestor</i>	U	<i>not specialized</i>
	RoleIDCode	M	EV(110153, DCM, “Source”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

810

Human Requestor (if known) <small>AuditMessage/ ActiveParticipant</small>	UserID	M	Identity of the human that initiated the transaction.
	AlternativeUserID	U	<i>not specialized</i>
	UserName	U	<i>not specialized</i>
	UserIsRequestor	U	<i>not specialized</i>
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCode	U	<i>not specialized</i>
	NetworkAccessPointID	U	<i>not specialized</i>

Destination <small>AuditMessage/ ActiveParticipant</small>	UserID	M	SOAP endpoint URI.
	AlternativeUserID	U	<i>not specialized</i>
	UserName	U	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address

815

Audit Source <small>AuditMessage/ AuditSourceIdentification</small>	<i>AuditSourceID</i>	U	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	U	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	U	<i>not specialized</i>

Patient <small>AuditMessage/ ParticipantObjectIdentifi- cation</small>	ParticipantObjectTypeCode	M	“1” (Person)
	ParticipantObjectTypeCodeRole	M	“1” (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	U	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	M	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	U	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	ParticipantObjectName	U	<i>not specialized</i>
	ParticipantObjectQuery	U	<i>not specialized</i>
	ParticipantObjectDetail	U	<i>not specialized</i>

Query Parameters <small>AuditMessage/ ParticipantObjectIdentifi- cation</small>	ParticipantObjectTypeCode	M	“2” (system object)
	ParticipantObjectTypeCodeRole	M	“24” (query)
	<i>ParticipantObjectDataLifeCycle</i>	U	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	M	EV(“ITI-56”, “IHE Transactions”, “Patient Location Query”)
	<i>ParticipantObjectSensitivity</i>	U	<i>not specialized</i>
	ParticipantObjectID	M	“PatientLocationQueryRequest”
	ParticipantObjectName	U	<i>not specialized</i>
	ParticipantObjectQuery	M	the PatientLocationQueryRequest, base64 encoded.
	ParticipantObjectDetail	U	<i>not specialized</i>

3.56.5.1.2 Responding Gateway audit message:

	Field Name	Opt	Value Constraints
Event <i>AuditMessage/ EventIdentification</i>	EventID	M	EV(110112, DCM, “Query”)
	EventActionCode	M	“E” (Execute)
	<i>EventDateTime</i>	<i>M</i>	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	EventTypeCode	M	EV(“ITI-56”, “IHE Transactions”, “Patient Location Query”)
Source (Initiating Gateway) (1)			
Destination (Responding Gateway) (1)			
Audit Source (Initiating Gateway) (1)			
Patient (0..n)			
Query Parameters(1)			

820

Where:

Source <i>AuditMessage/ ActiveParticipant</i>	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized.
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>U</i>	<i>not specialized</i>
	RoleIDCode	M	EV(110153, DCM, “Source”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address
Destination <i>AuditMessage/ ActiveParticipant</i>	UserID	M	SOAP endpoint URI.
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>M</i>	“false”
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address
Audit Source <i>AuditMessage/ AuditSourceIdentification</i>	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

Patient	ParticipantObjectTypeCode	M	“1” (Person)
AuditMessage/ ParticipantObjectIdentifi cation	ParticipantObjectTypeCodeRole	M	“1” (Patient)
	ParticipantObjectDataLifeCycle	U	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	<i>not specialized</i>
	ParticipantObjectSensitivity	U	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	ParticipantObjectName	U	<i>not specialized</i>
	ParticipantObjectQuery	U	<i>not specialized</i>
	ParticipantObjectDetail	U	<i>not specialized</i>

825

Query Parameters	ParticipantObjectTypeCode	M	“2” (system object)
AuditMessage/ ParticipantObjectIdentifi cation	ParticipantObjectTypeCodeRole	M	“24” (query)
	ParticipantObjectDataLifeCycle	U	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV(“ITI-56”, “IHE Transactions”, “Patient Location Query”)
	ParticipantObjectSensitivity	U	<i>not specialized</i>
	ParticipantObjectID	M	“PatientLocationQueryRequest”
	ParticipantObjectName	U	<i>not specialized</i>
	ParticipantObjectQuery	M	The PatientLocationQueryRequest, base64 encoded.
	ParticipantObjectDetail	U	<i>not specialized</i>

The Patient Location Query transaction does not require auditing of the returned result because the result contains only opaque identifiers. Implementers are free to audit more extensively if it is desired.

830 **3.56.6 Protocol Requirements**

The Patient Location Query request and response will be transmitted using Web Services, according to the requirements specified in [ITI TF-2: Appendix V](#). The specific values for the WSDL describing the Patient Location Query transaction are described in this section.

835 The Responding Gateway shall accept a Patient Location Query Request formatted as a SIMPLE SOAP message and respond with a Patient Location Query Response formatted as a SIMPLE SOAP message. The Initiating Gateway shall generate the Patient Location Query Request formatted as a SIMPLE SOAP message and accept a Patient Location Query Response formatted as a SIMPLE SOAP message.

IHE-WSP201) The attribute /wsdl:definitions/@name shall be “RespondingGateway”.

840 The following WSDL naming conventions shall apply:

wsdl:definitions/@name="RespondingGateway":

query message -> "PatientLocationQuery_Message"

query response -> "PatientLocationQueryResponse_Message"

portType -> "RespondingGateway_PortType"

operation -> "PatientLocationQuery"

SOAP 1.2 binding -> "RespondingGateway_Binding_Soap12"

SOAP 1.2 port -> "RespondingGateway_Port_Soap12"

IHE-WSP202) The targetNamespace of the WSDL shall be “urn:ihe:iti:xcpd:2009”

850 These are the requirements for the Patient Location Query transaction presented in the order in which they would appear in the WSDL definition:

- The following types shall be imported (xsd:import) in the /definitions/types section:
 - namespace=" urn:ihe:iti:xcpd:2009"
- The /definitions/message/part/@element attribute of the Patient Location Query Request message shall be defined as “xcpd: PatientLocationQueryRequest”
- The /definitions/message/part/@element attribute of the Patient Location Query Response message shall be defined as “xcpd: PatientLocationQueryResponse”
- The /definitions/portType/operation/input/@wsaw:Action attribute for the Patient Location QueryRequest message shall be defined as “urn:ihe:iti:2009:PatientLocationQuery”
- The /definitions/portType/operation/output/@wsaw:Action attribute for the Patient Location Query Response message shall be defined as “urn:ihe:iti:2009:PatientLocationQueryResponse”
- The /definitions/binding/operation/soap12:operation/@soapActionRequired attribute shall be defined as “false”

A full WSDL for the Initiating and Responding Gateway Actors is available online; see [ITI TF-2: Appendix W.](#)